

Masato Reverse Circulation (RC) Intercepts

September 2014

Intersections, > 0.2 g/t Au with max 2m internal dilution/no external dilution

HOLE ID	UTM28N East	UTM28N North	Azimuth	Dip	Downhole Depth (m)	Intercept Values (core length @ g/t Au)	Estimated True Width (m)
SOMRC0001	814874.00	1460354	95	-52.8	30.00	2m @ 0.28 g/t	1.8
					36.00	37m @ 1.74 g/t	29
including					38.00	17m @ 2.44 g/t	15
and including					58.00	10m @ 1.81 g/t	8
SOMRC0002	814886.00	1460352.00	95	-51.5	19.00	37m @ 1.97 g/t	30
including					24.00	14m @ 3.6 g/t	10
and including					51.00	3m @ 2.69 g/t	2
SOMRC0003	814895.00	1460342.00	95	-51.0	4.00	3m @ 0.73 g/t	2.5
					11.00	36m @ 1.84 g/t	30
including					12.00	21m @ 2.82 g/t	16
SOMRC0004	814880.00	1460343.00	95	-54.4	27.00	43m @ 1.52 g/t	34
including					27.00	8m @ 2.31 g/t	6
and including					41.00	4m @ 3.03 g/t	3
and including					49.00	7m @ 2.39 g/t	5.5
and including					66.00	2m @ 2.31 g/t	1.5
SOMRC0005	814865	1460332	95	-52.2	32.00	15m @ 0.95 g/t	12.5
including					37.00	2m @ 3.37 g/t	1.8
					50.00	27m @ 2.69 g/t	22
including					52.00	4m @ 4.16 g/t	3
and including					59.00	14m @ 3.53 g/t	11.5
SOMRC0006	814887	1460292	95	-52.3	14.00	2m @ 0.31 g/t	1.8
					21.00	36m @ 2.28 g/t	31
including					21.00	31m @ 2.53 g/t	27
SOMRC0007	814873	1460293	95	-50.6	28.00	38m @ 1.6 g/t	34
including					33.00	27m @ 1.95 g/t	23
SOMRC0008	814891	1460282	94	-56.9	13.00	37m @ 2.14 g/t	31.5
including					14.00	24m @ 2.3 g/t	19
and including					41.00	6m @ 3.56 g/t	5
SOMRC0009	814570	1459660	110	-62.8	30.00	12m @ 1.99 g/t	11
including					31.00	5m @ 4.19 g/t	4.7
SOMRC0010	814573	1459648	110	-49.8	24.00	9m @ 1.3 g/t	8
including					24.00	3m @ 2.54 g/t	2.5
					38.00	17m @ 3.54 g/t	14.5
including					42.00	12m @ 4.66 g/t	10
SOMRC0011	814569	1459639	110	-50.5	25.00	40m @ 3.49 g/t	38

Notes

1. Reported widths are estimated true widths.
2. Intercept gold values are determined from uncapped assays.

HOLE ID	UTM28N East	UTM28N North	Azimuth	Dip	Downhole Depth (m)	Intercept Values (core length @ g/t Au)	Estimated True Width (m)
including					28.00	28m @ 4.66 g/t	27
and including					58.00	5m @ 1.16 g/t	4.5
SOMRC0012	814580	1459635	110	-50.3	19.00	35m @ 1.55 g/t	33
including					25.00	6m @ 4.44 g/t	5.5
and including					36.00	2m @ 2.18 g/t	1.8
and including					45.00	5m @ 2.5 g/t	4.5
SOMRC0013	814568	1459629	110	-50.8	23.00	39m @ 2.41 g/t	38
including					24.00	38m @ 2.46 g/t	37
SOMRC0014	814579	1459625	110	-50.5	0.00	4m @ 0.34 g/t	3.8
					18.00	41m @ 2.06 g/t	35
including					18.00	7m @ 4.86 g/t	6
and including					35.00	7m @ 2.17 g/t	6
and including					45.00	14m @ 2.03 g/t	12
SOMRC0015	814575	1459616	110	-51.9	16.00	49m @ 2.85 g/t	45
including					19.00	6m @ 2.57 g/t	5.8
and including					29.00	3m @ 2.01 g/t	2.8
and including					34.00	2m @ 1.22 g/t	1.8
and including					40.00	4m @ 8.71 g/t	3.5
and including					47.00	13m @ 5.2 g/t	12
SOMRC0016	814550	1459625	110	-64.7	34.00	23m @ 0.67 g/t	20
SOMRC0017	814538	1459629	110	-63.6	42.00	14m @ 1.6 g/t	11
including					43.00	11m @ 1.9 g/t	9
SOMRC0018	814547	1459647	110	-52.0	37.00	13m @ 0.77 g/t	12.5
including					40.00	2m @ 1.94 g/t	1.8
					58.00	4m @ 1.43 g/t	3.8
SOMRC0019	814534	1459641	110	-62.2	45.00	7m @ 0.88 g/t	6.5
including					47.00	3m @ 1.63 g/t	2.7
					55.00	3m @ 1.04 g/t	2.7
SOMRC0020	814534	1459641	110	-51.1	43.00	16m @ 0.82 g/t	15
including					52.00	3m @ 1.65 g/t	2.8
SOMRC0021	814540	1459661	110	-50.0	47.00	5m @ 1.02 g/t	5
including					49.00	2m @ 1.78 g/t	2
SOMRC0022	814547	1459647	110	-64.7	38.00	7m @ 0.66 g/t	6
					49.00	2m @ 0.29 g/t	1.7
SOMRC0023	814550	1459656	110	-50.9	40.00	7m @ 1.3 g/t	7
including					41.00	4m @ 1.74 g/t	4
SOMRC0024	814562	1459652	110	-51.4	18.00	3m @ 0.53 g/t	2.8
					32.00	35m @ 1.85 g/t	32
including					35.00	6m @ 4.08 g/t	5.5
and including					54.00	13m @ 2.5 g/t	12
SOMRC0025	814560	1459664	110	-62.2	31.00	2m @ 0.23 g/t	1.8
					40.00	2m @ 0.71 g/t	1.8
SOMRC0026	814665	1459625	110	-50.4	2.00	2m @ 0.31 g/t	1.7

Notes

1. Reported widths are estimated true widths.
2. Intercept gold values are determined from uncapped assays.

HOLE ID	UTM28N East	UTM28N North	Azimuth	Dip	Downhole Depth (m)	Intercept Values (core length @ g/t Au)	Estimated True Width (m)
					10.00	29m @ 1.11 g/t	24
including					14.00	7m @ 1.55 g/t	6
and including					26.00	7m @ 1.99 g/t	6
					43.00	2m @ 0.34 g/t	1.6
SOMRC0027	814652	1459619	110	-50.1	0.00	5m @ 0.43 g/t	4.5
					9.00	8m @ 1.23 g/t	7
including					9.00	2m @ 3.38 g/t	1.5
					33.00	5m @ 2.6 g/t	4
including					33.00	4m @ 3.05 g/t	3.2
SOMRC0028	814662	1459616	110	-50.7	0.00	19m @ 0.82 g/t	16.5
					25.00	11m @ 1.78 g/t	9
including					25.00	9m @ 2.12 g/t	7
SOMRC0029	814672	1459612	110	-49.2	0.00	26m @ 1.2 g/t	22
including					4.00	2m @ 2.0 g/t	1.8
and including					9.00	9m @ 1.76 g/t	7.5
and including					22.00	3m @ 1.74 g/t	2.3
SOMRC0030	814647	1459611	110	-50.8	7.00	15m @ 1.44 g/t	13
including					11.00	6m @ 2.69 g/t	5
					26.00	2m @ 0.62 g/t	1.5
					32.00	10m @ 2.06 g/t	8
including					33.00	8m @ 2.47 g/t	6.5
SOMRC0031	814659	1459606	110	-49.9	5.00	31m @ 1.4 g/t	27
including					8.00	3m @ 1.47 g/t	2.7
and including					26.00	8m @ 3.44 g/t	7
SOMRC0032	814669	1459603	110	-51.6	0.00	5m @ 0.62 g/t	4.5
					8.00	19m @ 1.67 g/t	17
including					10.00	14m @ 2.07 g/t	13
SOMRC0033	814647	1459600	110	-53.1	0.00	7m @ 0.48 g/t	5.7
					14.00	2m @ 0.34 g/t	1.8
					19.00	18m @ 2.28 g/t	15.5
including					19.00	3m @ 2.34 g/t	2.5
and including					28.00	8m @ 3.68 g/t	7
					41.00	3m @ 0.31 g/t	2.7
SOMRC0034	814656	1459597	110	-52.0	11.00	21m @ 2.02 g/t	19
including					14.00	2m @ 1.26 g/t	1.8
and including					20.00	11m @ 3.3 g/t	10
SOMRC0035	814665	1459593	110	-51.7	1.00	25m @ 1.66 g/t	23
including					11.00	9m @ 3.56 g/t	8.5
SOMRC0036	814653	1459587	110	-50.6	0.00	4m @ 1.62 g/t	3.5
including					1.00	2m @ 2.79 g/t	1.7
					12.00	22m @ 1.69 g/t	19.5
including					13.00	3m @ 3.12 g/t	2.5
and including					21.00	5m @ 3.82 g/t	4.5

Notes

1. Reported widths are estimated true widths.
2. Intercept gold values are determined from uncapped assays.

HOLE ID	UTM28N East	UTM28N North	Azimuth	Dip	Downhole Depth (m)	Intercept Values (core length @ g/t Au)	Estimated True Width (m)
and including					31.00	2m @ 1.55 g/t	1.8
SOMRC0037	814878	1460303	95	-51.1	13.00	2m @ 0.58 g/t	1.5
					21.00	43m @ 1.57 g/t	38
including					31.00	27m @ 2.22 g/t	23
SOMRC0038	814864	1460305	95	-50.5	36.00	29m @ 1.74 g/t	25.5
including					43.00	21m @ 2.25 g/t	18
SOMRC0039	814835	1460317	95	-51.2	64.00	33m @ 1.71 g/t	28
including					80.00	14m @ 3.49 g/t	12
					103.00	4m @ 1.42 g/t	3.5
SOMRC0040	814851	1460316	95	-50.9	50.00	39m @ 2.45 g/t	33
including					52.00	2m @ 2.27 g/t	1.8
and including					59.00	20m @ 3.81 g/t	17
and including					84.00	2m @ 3.77 g/t	1.8
SOMRC0041	814900	1460311	95	-50.4	0.00	38m @ 1.94 g/t	32
including					8.00	27m @ 2.21 g/t	23
SOMRC0042	814886	1460323	95	-49.3	13.00	16m @ 2.5 g/t	13.5
including					13.00	7m @ 4.77 g/t	6
and including					24.00	3m @ 1.46 g/t	2.5
					32.00	20m @ 1.53 g/t	16.5
including					34.00	14m @ 1.93 g/t	11.5
SOMRC0043	814901	1460321	95	-50.6	0.00	36m @ 1.71 g/t	29.5
including					0.00	10m @ 2.15 g/t	8.5
and including					16.00	17m @ 1.94 g/t	14
SOMRC0044	814909	1460331	95	-53.2	1.00	29m @ 2.26 g/t	23
including					2.00	12m @ 4.22 g/t	8.5
and including					17.00	5m @ 1.96 g/t	4
SOMRC0045	814903	1460351	95	-52.6	1.00	36m @ 1.8 g/t	27
including					4.00	15m @ 3.26 g/t	11.5
SOMRC0046	814916	1460350	95	-51.4	1.00	25m @ 1.24 g/t	19
including					3.00	7m @ 2.38 g/t	5.5
and including					16.00	4m @ 1.59 g/t	3
SOMRC0047	814649	1459642	110	-52.4	0.00	15m @ 1.16 g/t	13
including					11.00	2m @ 5.34 g/t	1.7
					18.00	28m @ 2.01 g/t	22
including					22.00	3m @ 2.16 g/t	2.5
and including					28.00	18m @ 2.51 g/t	14
SOMRC0048	814626	1459639	110	-49.9	0.00	19m @ 2.83 g/t	17
including					5.00	13m @ 3.67 g/t	11
					26.00	32m @ 1.89 g/t	27
including					29.00	7m @ 2.97 g/t	6
and including					39.00	3m @ 1.25 g/t	2.7
and including					46.00	4m @ 3.68 g/t	3.5
and including					53.00	3m @ 3.83 g/t	2.5

Notes

1. Reported widths are estimated true widths.
2. Intercept gold values are determined from uncapped assays.

HOLE ID	UTM28N East	UTM28N North	Azimuth	Dip	Downhole Depth (m)	Intercept Values (core length @ g/t Au)	Estimated True Width (m)
SOMRC0049	814640	1459634	110	-63.4	0.00	7m @ 1.16 g/t	5
					17.00	7m @ 1.06 g/t	5
including					19.00	3m @ 1.73 g/t	2.5
					31.00	19m @ 2.55 g/t	14
including					38.00	5m @ 5.19 g/t	4
and including					46.00	4m @ 4.51 g/t	3
SOMRC0050	814632	1459627	110	-49.7	0.00	2m @ 1.17 g/t	1.8
					16.00	5m @ 0.72 g/t	4.5
					26.00	29m @ 1.72 g/t	24.5
including					28.00	2m @ 1.14 g/t	1.5
and including					39.00	12m @ 3.33 g/t	10.5
					57.00	2m @ 0.28 g/t	1.5
SOMRC0051	814632	1459627	110	-63.2	0.00	4m @ 0.6 g/t	2.5
					17.00	4m @ 0.34 g/t	3
					24.00	33m @ 1.26 g/t	25
including					40.00	7m @ 2.92 g/t	5
and including					50.00	5m @ 2.4 g/t	3.5
SOMRC0052	814643	1459622	110	-50.4	12.00	4m @ 0.24 g/t	3.5
					19.00	11m @ 0.63 g/t	9.5
including					21.00	2m @ 1.44 g/t	1.7
					33.00	11m @ 2.67 g/t	9
SOMRC0053	814636	1459615	110	-53.6	3.00	43m @ 1.6 g/t	34
including					9.00	8m @ 2.98 g/t	7
and including					34.00	11m @ 2.83 g/t	9
SOMRC0054	814660	1459638	110	-52.3	0.00	35m @ 1.13 g/t	28
including					24.00	10m @ 2.21 g/t	8
SOMRC0055	814637	1459603	110	-52.7	1.00	12m @ 2.01 g/t	10
including					4.00	8m @ 2.78 g/t	6.5
					17.00	24m @ 0.56 g/t	20
SOMRC0056	814623	1459608	110	-61.9	0.00	3m @ 0.67 g/t	2.5
					6.00	6m @ 1.69 g/t	5.7
including					8.00	2m @ 3.89 g/t	1.8
					15.00	47m @ 0.94 g/t	42
including					15.00	2m @ 1.56 g/t	1.8
and including					46.00	6m @ 3.02 g/t	5.7
SOMRC0057	814633	1459595	110	-49.9	0.00	3m @ 1.02 g/t	2.5
					9.00	4m @ 0.84 g/t	3.5
including					11.00	2m @ 1.22 g/t	1.8
					19.00	22m @ 1.9 g/t	18.5
including					22.00	3m @ 2.96 g/t	2.5
and including					28.00	2m @ 1.92 g/t	1.8
and including					33.00	7m @ 3.35 g/t	6
					48.00	3m @ 0.27 g/t	2.5

Notes

1. Reported widths are estimated true widths.
2. Intercept gold values are determined from uncapped assays.

HOLE ID	UTM28N East	UTM28N North	Azimuth	Dip	Downhole Depth (m)	Intercept Values (core length @ g/t Au)	Estimated True Width (m)
SOMRC0058	814626	1459597	110	-50.5	0.00	11m @ 2.53 g/t	10
including					3.00	6m @ 4.18 g/t	5
					22.00	22m @ 0.9 g/t	19
including					35.00	3m @ 2.0 g/t	2.5
and including					41.00	2m @ 2.05 g/t	1.5
					54.00	4m @ 0.46 g/t	3.5
SOMRC0059	814618	1459600	110	-56.6	0.00	13m @ 0.7 g/t	11
including					0.00	6m @ 1.14 g/t	5
					16.00	7m @ 0.47 g/t	6
					31.00	24m @ 0.75 g/t	22
including					39.00	2m @ 124 g/t	1.8
and including					47.00	5m @ 1.93 g/t	4.5
					62.00	5m @ 0.83 g/t	4.5
SOMRC0060	814867	1460284	95	-49.2	6.00	4m @ 0.67 g/t	3
					29.00	2m @ 0.31 g/t	1.5
					40.00	32m @ 2.01 g/t	26
including					45.00	6m @ 1.79 g/t	5
and including					54.00	18m @ 2.74 g/t	14.5
					75.00	3m @ 0.23 g/t	2.5
SOMRC0061	814888	1460295	76	-51.2	12.00	43m @ 1.97 g/t	34
including					18.00	26m @ 2.86 g/t	20
SOMRC0062	814868	1460314	95	-50.9	32.00	42m @ 2.33 g/t	40
including					32.00	2m @ 2.49 g/t	1.8
and including					37.00	2m @ 2.27 g/t	1.8
and including					42.00	24m @ 3.37 g/t	21
SOMRC0063	814884	1460313	95	-49.9	15.00	43m @ 1.7 g/t	37
including					23.00	15m @ 2.79 g/t	12.5
and including					41.00	2m @ 2.32 g/t	1.5
and including					46.00	4m @ 3.01 g/t	3.5
SOMRC0064	814871	1460324	95	-50.7	29.00	32m @ 1.73 g/t	27
including					31.00	4m @ 2.73 g/t	3.5
and including					39.00	2m @ 2.39 g/t	1.5
and including					49.00	7m @ 3.8 g/t	6
and including					59.00	2m @ 2.41 g/t	1.5
SOMRC0065	814910	1460295	113	-50.8	1.00	33m @ 2.45 g/t	24
including					1.00	26m @ 3.0 g/t	21
SOMRC0066	814911	1460340	95	-49.9	2.00	20m @ 2.75 g/t	16
including					3.00	12m @ 4.08 g/t	9
SOMRC0067	814617	1459643	110	-49.7	1.00	37m @ 3.72 g/t	33
including					5.00	16m @ 7.72 g/t	13.5
					43.00	3m @ 0.51 g/t	2.6
					50.00	13m @ 2.02 g/t	11.5
including					50.00	9m @ 2.78 g/t	8

Notes

1. Reported widths are estimated true widths.
2. Intercept gold values are determined from uncapped assays.

HOLE ID	UTM28N East	UTM28N North	Azimuth	Dip	Downhole Depth (m)	Intercept Values (core length @ g/t Au)	Estimated True Width (m)
SOMRC0068	814605	1459605	110	-50.5	0.00	17m @ 3.5 g/t	16
including					0.00	16m @ 3.7 g/t	14.5
					20.00	11m @ 1.45 g/t	10
including					25.00	2m @ 4.03 g/t	1.8
					37.00	25m @ 0.92 g/t	24.5
including					54.00	8m @ 1.45 g/t	7.5
SOMRC0069	814596	1459608	110	-50.5	0.00	56m @ 2.65 g/t	51
including					0.00	24m @ 5.16 g/t	22
and including					35.00	4m @ 2.26 g/t	3.7
					60.00	7m @ 2.23 g/t	6.8
including					61.00	5m @ 2.97 g/t	4.5
SOMRC0070	814608	1459614	110	-52.4	0.00	32m @ 3.21 g/t	29.5
including					0.00	21m @ 3.83 g/t	19
and including					28.00	4m @ 4.88 g/t	3.7
					36.00	9m @ 1.07 g/t	8.5
including					37.00	4m @ 1.76 g/t	3.7
					47.00	2m @ 0.21 g/t	1.8
					52.00	15m @ 2.28 g/t	14.5
including					53.00	6m @ 4.82 g/t	5.6
and including					61.00	2m @ 1.76 g/t	1.8
SOMRC0071	814599	1459617	110	-51.8	0.00	52m @ 5.25 g/t	48
including					0.00	17m @ 12.74 g/t	15
and including					20.00	6m @ 2.18 g/t	5.8
and including					35.00	13m @ 2.73 g/t	12
					57.00	12m @ 2.04 g/t	11.5
including					59.00	5m @ 4.37 g/t	4.7
SOMRC0072	814591	1459620	110	-52.3	1.00	40m @ 1.86 g/t	39
including					3.00	17m @ 3.02 g/t	15.5
and including					26.00	4m @ 3.46 g/t	3.7
SOMRC0073	814602	1459627	110	-49.9	1.00	50m @ 2.05 g/t	46
including					1.00	16m @ 3.86 g/t	14
and including					23.00	2m @ 1.41 g/t	1.8
and including					30.00	12m @ 2.17 g/t	11
and including					45.00	2m @ 1.61 g/t	1.8
					57.00	3m @ 3.33 g/t	2.8
					56.00	17m @ 2.04 g/t	16
including					63.00	8m @ 2.77 g/t	7.5
SOMRC0074	814612	1459634	110	-48.9	0.00	23m @ 2.8 g/t	20
including					0.00	20m @ 3.14 g/t	18
					26.00	40m @ 1.31 g/t	34
including					32.00	4m @ 2.53 g/t	3.5
and including					51.00	13m @ 2.54 g/t	11
SOMRC0075	814605	1459636	110	-50.8	1.00	28m @ 2.64 g/t	25

Notes

1. Reported widths are estimated true widths.
2. Intercept gold values are determined from uncapped assays.

HOLE ID	UTM28N East	UTM28N North	Azimuth	Dip	Downhole Depth (m)	Intercept Values (core length @ g/t Au)	Estimated True Width (m)
including					3.00	18m @ 3.86 g/t	15.5
					34.00	15m @ 0.89 g/t	12.5
including					36.00	5m @ 2.08 g/t	4
					52.00	23m @ 1.74 g/t	20
including					56.00	13m @ 2.72 g/t	11
SOMRC0076	814619	1459653	110	-52.0	0.00	4m @ 1.24 g/t	3.5
including					0.00	2m @ 2.21 g/t	1.8
					10.00	35m @ 1.56 g/t	32
including					12.00	14m @ 2.79 g/t	13
and including					30.00	2m @ 1.83 g/t	1.5
					51.00	10m @ 2.57 g/t	9
including					53.00	7m @ 3.33 g/t	6
SOMRC0077	814610	1459656	110	-50.9	7.00	9m @ 0.79 g/t	8
					24.00	16m @ 1.85 g/t	14.5
including					24.00	11m @ 2.57 g/t	10
					44.00	8m @ 1.22 g/t	7
including					45.00	5m @ 1.62 g/t	4.5
					55.00	14m @ 2.85 g/t	12.5
including					56.00	2m @ 2.11 g/t	1.8
and including					62.00	6m @ 5.65 g/t	5
SOMRC0078	814600	1459660	110	-50.4	2.00	10m @ 0.83 g/t	9
including					8.00	3m @ 1.09 g/t	2.5
					19.00	2m @ 0.48 g/t	1.5
					30.00	30m @ 1.14 g/t	25
including					35.00	4m @ 5.53 g/t	3.5
					63.00	18m @ 1.32 g/t	16.5
including					64.00	2m @ 2.04 g/t	1.8
and including					72.00	6m @ 2.33 g/t	5.5
SOMRC0079	814625	1459651	110	-49.4	11.00	24m @ 1.81 g/t	21
including					12.00	8m @ 3.87 g/t	7
and including					28.00	6m @ 1.38 g/t	5
					38.00	4m @ 0.28 g/t	3.5
					45.00	19m @ 2.32 g/t	16.5
including					46.00	10m @ 3.73 g/t	9
SOMRC0080	814590	1459663	110	-50.9	0.00	2m @ 0.75 g/t	1.8
					12.00	6m @ 2.36 g/t	5.7
including					15.00	3m @ 4.04 g/t	2.8
					26.00	5m @ 2.52 g/t	4.8
including					28.00	3m @ 3.7 g/t	2.8
					36.00	29m @ 1.05 g/t	27
including					37.00	11m @ 1.94 g/t	10
					68.00	20m @ 1.15 g/t	17.5
including					70.00	10m @ 1.78 g/t	9

Notes

1. Reported widths are estimated true widths.
2. Intercept gold values are determined from uncapped assays.



HOLE ID	UTM28N East	UTM28N North	Azimuth	Dip	Downhole Depth (m)	Intercept Values (core length @ g/t Au)	Estimated True Width (m)
SOMRC0081	814596	1459650	110	-50.5	6.00	51m @ 1.06 g/t	45
including					8.00	3m @ 2.05 g/t	2.5
and including					15.00	4m @ 2.76 g/t	3.5
and including					30.00	4m @ 3.89 g/t	3.5
					63.00	2m @ 3.16 g/t	1.5
SOMRC0082	814559	1459675	110	-50.2	38.00	10m @ 1.09 g/t	9.5
including					39.00	3m @ 2.72 g/t	2.8
					59.00	15m @ 3.92 g/t	14.5
including					64.00	8m @ 6.89 g/t	7.5
					77.00	14m @ 1.16 g/t	13.5
including					79.00	2m @ 1.71 g/t	1.9
and including					85.00	2m @ 3.36 g/t	1.9
SOMRC0083	814557	1459633	110	51.55	30.00	42m @ 1.98 g/t	40
including					36.00	2m @ 4.53 g/t	1.8
and including					40.00	7m @ 2.77 g/t	6.5
and including					48.00	2m @ 1.15 g/t	1.8
and including					62.00	6m @ 2.83 g/t	5.5
and including					69.00	3m @ 6.47 g/t	2.8
SOMRC0084	814546	1459637	110	51.55	39.00	9m @ 1.99 g/t	8.5
including					41.00	3m @ 3.65 g/t	2.8
and including					45.00	3m @ 1.86 g/t	2.8
					53.00	9m @ 1.0 g/t	8.5
including					55.00	3m @ 2.28 g/t	2.8
					66.00	13m @ 1.63 g/t	12.5
including					68.00	11m @ 1.82 g/t	10.8
SOMRC0085	814558	1459643	110	50.74	31.00	13m @ 1.45 g/t	12
including					31.00	3m @ 2.14 g/t	2.8
and including					36.00	4m @ 2.44 g/t	3.8
					48.00	17m @ 1.53 g/t	16
including					49.00	4m @ 1.84 g/t	3.7
and including					63.00	2m @ 5.12 g/t	1.8
SOMRC0086	814639	1459645	110	-55.6	0.00	13m @ 2.67 g/t	11
including					5.00	7m @ 4.28 g/t	6
					16.00	12m @ 0.51 g/t	11
including					26.00	2m @ 1.6 g/t	1.5
					30.00	5m @ 0.38 g/t	4.5
					40.00	15m @ 2.48 g/t	13
including					40.00	3m @ 3.24 g/t	2.5
and including					44.00	8m @ 2.97 g/t	6.5
SOMRC0087	814691	1459627	110	-53.9	0.00	23m @ 0.76 g/t	18
including					18.00	2m @ 1.62 g/t	1.5

Notes

1. Reported widths are estimated true widths.
2. Intercept gold values are determined from uncapped assays.

HOLE ID	UTM28N East	UTM28N North	Azimuth	Dip	Downhole Depth (m)	Intercept Values (core length @ g/t Au)	Estimated True Width (m)
SOMRC0088	814680	1459631	110	-52.2	4.00	3m @ 1.07 g/t	2.5
					10.00	7m @ 1.06 g/t	6
including					12.00	2m @ 1.68 g/t	1.7
					19.00	13m @ 1.71 g/t	10
including					23.00	9m @ 2.17 g/t	7
SOMRC0089	814670	1459634	110	-52.7	0.00	6m @ 0.4 g/t	5
					13.00	24m @ 1.91 g/t	20
including					15.00	3m @ 2.54 g/t	2.5
and including					20.00	5m @ 1.98 g/t	4
and including					27.00	5m @ 3.02 g/t	4
and including					33.00	3m @ 2.71 g/t	2.5
SOMRC0090	814655	1459629	110	-49.4	10.00	3m @ 0.9 g/t	2.5
					17.00	22m @ 1.05 g/t	19
including					18.00	2m @ 2.0 g/t	1.5
and including					30.00	7m @ 1.84 g/t	6
SOMRC0091	814644	1459590	110	-50.6	0.00	8m @ 0.98 g/t	6.5
including					0.00	3m @ 1.89 g/t	2.5
					12.00	3m @ 0.29 g/t	2.5
					17.00	23m @ 1.21 g/t	21.5
including					17.00	4m @ 1.25 g/t	3.7
and including					25.00	6m @ 2.78 g/t	5
SOMRC0092	814581	1459667	110	-49.9	0.00	2m @ 0.5 g/t	1.8
					18.00	2m @ 0.72 g/t	1.8
					26.00	5m @ 0.65 g/t	4.8
					35.00	35m @ 0.99 g/t	33
including					43.00	14m @ 1.64 g/t	13.5
and including					65.00	2m @ 1.41 g/t	1.8
					74.00	16m @ 2.99 g/t	14.5
including					76.00	4m @ 4.33 g/t	3.7
and including					81.00	8m @ 3.46 g/t	7.5
					93.00	2m @ 3.0 g/t	1.7
SOMRC0093	814570	1459672	110	-49.6	29.00	10m @ 0.89 g/t	9.5
including					30.00	2m @ 2.73 g/t	1.8
					49.00	31m @ 0.88 g/t	29.5
including					52.00	2m @ 1.39 g/t	1.8
and including					61.00	3m @ 2.77 g/t	2.8
					87.00	7m @ 2.14 g/t	6.5
including					87.00	4m @ 3.26 g/t	3.8
					99.00	4m @ 1.41 g/t	3.8
					107.00	5m @ 0.38 g/t	4.7
SOMRC0094	814580	1459656	110	-55.1	0.00	2m @ 0.78 g/t	1.5
					21.00	51m @ 1.4 g/t	45
including					28.00	2m @ 1.47 g/t	1.5

Notes

1. Reported widths are estimated true widths.
2. Intercept gold values are determined from uncapped assays.

HOLE ID	UTM28N East	UTM28N North	Azimuth	Dip	Downhole Depth (m)	Intercept Values (core length @ g/t Au)	Estimated True Width (m)
and including					42.00	8m @ 4.75 g/t	6
and including					59.00	3m @ 1.08 g/t	2.8
and including					68.00	2m @ 1.72 g/t	1.5
SOMRC0095	814595	1459640	110	-50.5	1.00	29m @ 3.66 g/t	25
including					14.00	8m @ 11.05 g/t	7
and including					27.00	2m @ 5.12 g/t	1.7
					34.00	2m @ 0.48 g/t	1.7
					40.00	19m @ 0.68 g/t	18
including					52.00	3m @ 1.65 g/t	2.7
SOMRC0096	814592	1459631	110	-51.1	0.00	81m @ 2.02 g/t	78
including					0.00	2m @ 1.38 g/t	1.8
and including					15.00	9m @ 7.2 g/t	8
and including					36.00	3m @ 9.46 g/t	2.5
and including					48.00	2m @ 2.32 g/t	1.8
and including					51.00	5m @ 2.47 g/t	4.5
and including					66.00	5m @ 1.7 g/t	4.5
and including					75.00	2m @ 2.53 g/t	1.8
SOMRC0097	814620	1459620	110	-50.1	0.00	9m @ 1.5 g/t	8
including					0.00	3m @ 2.9 g/t	2.8
					15.00	21m @ 0.93 g/t	19
including					31.00	5m @ 1.51 g/t	4.5
					43.00	13m @ 2.16 g/t	11
including					43.00	5m @ 4.71 g/t	4.5
SOMRC0098	814584	1459645	110	-50.8	0.00	3m @ 0.82 g/t	2.5
					13.00	58m @ 1.46 g/t	55
including					28.00	6m @ 2.19 g/t	5.5
and including					40.00	7m @ 2.61 g/t	6.5
and including					51.00	3m @ 1.72 g/t	2.7
and including					64.00	2m @ 1.12 g/t	1.8
and including					67.00	4m @ 3.47 g/t	3.6

Notes

1. Reported widths are estimated true widths.
2. Intercept gold values are determined from uncapped assays.