

Hole Number	From (m)	To (m)	Length (m)	Ni (%)	Cu (%)	Co (%)	TPM g/t	Target	
MQ-13-022*	315.70	322.55	6.85	0.29	0.09	0.01	0.15	Spotty Hill	
incl.	320.00	321.35	1.35	0.61	0.15	0.02	0.27	Spotty Hill	
MQ-14-035	165.00	204.36	39.36	0.18	0.06	0.01		Imiak Hill	
incl.	165.00	167.00	2.00	0.50	0.12	0.12		Imiak Hill	
MQ-14-036	266.25	266.35	0.10	0.39	19.80	0.03		Imiak Hill	
MQ-14-037	155.25	159.25	4.00	0.26	0.08	0.01		Imiak Hill	
and	220.51	231.54	11.03	3.07	0.53	0.08		Imiak Hill	
incl.	220.51	223.76	3.25	6.48	0.29	0.17		Imiak Hill	
incl.	223.95	227.66	3.71	1.86	1.24	0.06		Imiak Hill	
incl.	230.91	231.54	0.63	7.04	0.25	0.15		Imiak Hill	
and	235.66	235.76	0.10	3.58	1.24	0.09		Imiak Hill	
and	240.11	240.55	0.44	5.22	0.48	0.15		Imiak Hill	
MQ-14-038	228.95	229.55	0.60	6.07	1.35	0.14		Imiak Hill	
MQ-14-039	NSA								Imiak Hill
MQ-14-040	115.00	135.10	20.10	0.20	0.05	0.01	0.10	Spotty Hill	
and	163.00	283.00	120.00	0.16	0.04	0.01	0.06	Spotty Hill	
and	301.00	350.15	49.15	0.23	0.07	0.01	0.10	Spotty Hill	
incl.	343.55	350.15	6.60	0.48	0.17	0.01	0.24	Spotty Hill	
MQ-14-041	5.00	44.00	39.00	0.17	0.06	0.01	0.04	P-149	
and	85.35	108.55	23.20	0.36	0.17	0.01	0.15	P-149	
incl.	107.35	107.85	0.50	3.31	0.61	0.05	0.27	P-149	
and	154.50	157.90	3.40	0.41	0.18	0.01	0.14	P-149	
MQ-14-042	2.10	8.50	6.40	0.44	0.20	0.01	0.21	P-149	
and	46.50	57.50	11.00	0.21	0.07	0.01	0.06	P-149	
and	77.85	81.75	3.90	0.49	0.20	0.01	0.26	P-149	
MQ-14-043	NSA								P-157
MQ-14-044	NSA								Spotty Hill
MQ-14-045	NSA								P-157
MQ-14-046	NSA								P-161
MQ-14-047	103.50	108.95	5.45	0.26	0.12	0.01	0.08	P-146	
and	115.10	120.00	4.90	0.23	0.09	0.01	0.07	P-146	
MQ-14-048	39.55	39.90	0.35	1.35	0.15	0.04	0.07	P-136	
and	45.58	58.75	13.17	0.21	0.09	0.01	0.01	P-136	
incl.	58.00	58.75	0.75	0.93	0.22	0.03	0.03	P-136	
and	95.00	125.00	30.00	0.22	0.09	0.01	0.02	P-136	
MQ-14-049	NSA								P-081
MQ-14-050	No Samples								P-081
MQ-14-051	231.14	235.45	4.31	0.94	0.17	0.03	0.99	P-004	
incl.	232.80	235.45**	2.65	1.36	0.25	0.04	1.46	P-004	
incl.	233.70	234.80	1.10	2.34	0.34	0.06	0.73	P-004	
MQ-14-052	49.00	75.00	26.00	0.22	0.05	0.01	0.07	Spotty Hill	
MQ-14-053	78.00	78.10	0.10	1.08	3.78	0.02	0.04	P-058	
and	79.40	79.50	0.10	0.55	3.95	0.04	0.23	P-058	
and	82.70	82.80	0.10	1.32	0.67	0.07	0.20	P-058	
MQ-14-054	70.60	76.18	5.58	1.72	0.26	0.04	0.08	P-058	
incl.	70.60	71.22	0.62	6.18	0.56	0.16	0.08	P-058	
incl.	73.65	74.46	0.81	5.23	0.07	0.11	0.35	P-058	
MQ-14-055	NSA								P-059
MQ-14-056	Re-collared as MQ-14-058								Spotty Hill
MQ-14-057	112.11	113.68	1.57	1.35	0.10	0.04	0.02	P-058	
incl.	113.07	113.37	0.30	4.45	0.11	0.09	0.05	P-058	
MQ-14-058	116.70	247.26	130.56	0.28	0.08	0.01	0.10	Spotty Hill	
incl.	153.50	234.55	81.05	0.38	0.11	0.02	0.14	Spotty Hill	
incl.	163.40	202.05	38.65	0.52	0.16	0.02	0.18	Spotty Hill	
incl.	213.30	223.80	10.50	0.55	0.11	0.02	0.20	Spotty Hill	
MQ-14-059	22.26	24.00	1.74	2.54	2.75	0.07	0.10	P-058	
incl.	23.07	23.26	0.19	5.15	2.53	0.13	0.06	P-058	
incl.	23.55	24.00	0.45	4.19	7.73	0.12	0.10	P-058	
MQ-14-060	NSA								Mikissoq
MQ-14-061	NSA								P-004
MQ-14-062	17.40	83.40	66.00	0.61	0.16	0.02	0.22	Spotty Hill	
incl.	62.65	71.20	8.55	2.98	0.59	0.10	0.86	Spotty Hill	
and	95.00	155.00	60.00	0.16	0.03	0.01	NSA	Spotty Hill	
MQ-14-063	142.82	142.95	0.13	0.82	0.23	0.07	NSA	Mikissoq	
MQ-14-064	No Samples								P-048
MQ-14-065	15.00	37.80	22.80	0.12	0.03	0.01	NSA	Spotty Hill	
and	37.80	111.29	73.49	0.59	0.16	0.02	0.22	Spotty Hill	
incl.	79.50	90.10	10.60	1.69	0.34	0.05	0.50	Spotty Hill	
incl.	86.55	90.10	3.55	3.53	0.25	0.11	0.95	Spotty Hill	
and	124.60	132.65	8.05	0.44	0.12	0.02	0.17	Spotty Hill	
and	144.90	158.30	13.40	0.68	0.12	0.03	0.24	Spotty Hill	
and	158.30	199.00	40.70	0.15	0.03	0.03	NSA	Spotty Hill	
MQ-14-066	94.00	94.32	0.32	1.62	0.32	0.04	0.19	P-013 centre	
and	101.55	101.87	0.32	1.65	0.18	0.04	0.15	P-013 centre	
and	117.63	118.16	0.53	1.55	0.23	0.03	0.07	P-013 centre	
and	133.57	134.48	0.91	2.23	0.32	0.07	0.12	P-013 centre	
and	149.28	149.99	0.71	1.52	0.70	0.04	0.17	P-013 centre	
and	157.00	168.00	11.00	1.31	0.15	0.04	0.07	P-013 centre	
incl.	158.43	164.28	5.85	2.07	0.12	0.05	0.07	P-013 centre	
and	201.20	223.94	22.74	0.50	0.15	0.02	0.04	P-013 centre	
incl.	203.35	205.49	2.14	1.79	0.31	0.07	0.12	P-013 centre	
MQ-14-067	No Samples								Imiak Hill
MQ-14-068	126.70	142.55	15.85	0.87	0.27	0.03	0.09	P-013 centre	
incl.	130.85	134.25	3.40	2.07	0.34	0.06	0.15	P-013 centre	
and	156.00	176.60	20.60	0.13	0.04	0.01	0.01	P-013 centre	
MQ-14-069	NSA NSA NSA NSA								P-013 SE
MQ-14-070	22.00	60.85	38.85	0.44	0.14	0.02	0.12	P-030	
incl.	40.75	60.85	20.10	0.63	0.20	0.02	0.18	P-030	
incl.	45.40	46.15	0.75	1.99	0.33	0.06	0.42	P-030	
incl.	53.30	54.50	1.20	1.86	0.52	0.06	0.49	P-030	
and	112.30	130.00	17.80	0.33	0.11	0.02	0.26	P-030	
MQ-14-071	93.65	95.00	1.35	0.60	0.09	0.02	0.12	P-053	
and	108.52	109.17	0.65	0.41	1.13	0.02	0.23	P-053	
incl.	108.52	108.63	0.11	0.47	2.66	0.02	0.16	P-053	
and	108.93	109.17	0.24	0.85	1.80	0.03	0.56	P-053	
MQ-14-072	173.75	190.10	16.35	2.51	0.77	0.08	NSA	Imiak Hill - Zone 10	
incl.	173.75	175.80	2.05	6.55	0.83	0.22	NSA	Imiak Hill - Zone 10	
and	179.90	186.25	6.35	3.14	1.05	0.10	NSA	Imiak Hill - Zone 10	
and	202.75	204.50	1.75	3.01	2.80	0.11	NSA	Imiak Hill - Zone 30	
MQ-14-073	57.75	119.10	61.35	0.63	0.18	0.02	NSA	Mikissoq	
incl.	72.10	74.70	2.60	1.90	0.54	0.04	NSA	Mikissoq	
and	89.50	94.10	4.60	1.27	0.27	0.03	NSA	Mikissoq	
and	112.54	119.10	6.56	1.59	0.22	0.04	NSA	Mikissoq	
incl.	112.93	116.95	4.02	2.42	0.29	0.05	NSA	Mikissoq	

Notes:

Intervals represent core lengths and not true widths

TPM - total precious metals (Au+Pt+Pd)

NSA - No significant assays

\*Deepened 87 m in 2014

\*\*Interval includes one sample containing 2.86 g/t Au and 0.2 g/t Pt